

## DSM-IV Diagnostic Criteria for Acute Stress Disorder

- A. The person has been exposed to a traumatic event in which both of the following were present:
  - (1) the person experienced, witnessed, or was confronted with an event or events that involved actual or threatened death or serious injury, or a threat to the physical integrity of self or others
  - (2) the person's response involved intense fear, helplessness, or horror. **Note:** In children, this may be expressed instead by disorganized or agitated behavior.
- B. Either while experiencing or after experiencing the distressing event, the individual has three (or more) of the following dissociative symptoms:
  - (1) a subjective sense of numbing, detachment, or absence of emotional responsiveness
  - (2) a reduction in awareness of his or her surroundings (e.g., "being in a daze")
  - (3) derealization
  - (4) depersonalization
  - (5) dissociative amnesia (i.e., inability to recall an important aspect of the trauma)
- C. The traumatic event is persistently reexperienced in at least one of the following ways: recurrent images, thoughts, dreams, illusions, flashback episodes, or a sense of reliving the experience; or distress on exposure to reminders of the traumatic event.
- D. Marked avoidance of stimuli that arouse recollections of the trauma (e.g., thoughts, feelings, conversations, activities, places, people).
- E. Marked symptoms of anxiety or increased arousal (e.g., difficulty sleeping, irritability, poor concentration, hypervigilance, exaggerated startle response, motor restlessness).
- F. The disturbance causes clinically significant distress or impairment in social, occupational, or other important areas of functioning or in: the individual's ability to pursue some necessary task, such as obtaining necessary assistance or mobilizing personal resources by telling family members about the traumatic experience.
- E. The disturbance lasts for a minimum of 2 days and a maximum of 4 weeks and occurs within 4 weeks of the traumatic event.
- F. The disturbance is not due to the direct physiological effects of a substance (e.g., a drug of abuse, a medication) or a general medical condition, is not better accounted for by Brief Psychotic Disorder, and is not merely an exacerbation of a preexisting Axis I or Axis II disorder.

**Source:** American Psychiatric Association (1994). Diagnostic and Statistical Manual of Mental Disorders, Fourth Edition. Washington, DC: American Psychiatric Association.